



COR VISION PLUS



The greatness of minimalism / La grandeza del minimalismo



COR VISION PLUS
www.corvisionplus.com



COR VISION PLUS

OFFICIAL INSTALLERS NETWORK

Cor Vision Plus is a system that stands out for its design and quality. For this reason, CORTIZO restricts its exclusive commercialization to a select group of installers who must fulfill the following requirements:

- *Belong to the Cortizo Official Installers Network.*
- *Have successfully completed the specific training in manufacturing and assembling of this system.*

TECHNICAL RESPONSE

It has the possibility of motorized opening carrying weights of up to 700 kg/sash. Manual opening allow to bear up to 400 kg.

The bearings are placed in the frame and the sash has a double reinforced stainless steel rail that gives a great sliding smoothness.

Of multi-point locking systems through operation rod with and without key.

RESPUESTA TÉCNICA

Incorpora la posibilidad de apertura motorizada admitiendo pesos de hasta 700 kg/hoja. La apertura manual permite manipular hasta 400 kg.

Los rodamientos se alojan en el marco y las hojas cuentan con doble carril inox reforzado que le confiere mayor suavidad de deslizamiento.

Además permite incorporar sistemas de cierre multipunto por falleba con y sin llave.

RED DE INSTALADORES OFICIALES

La Cor Vision Plus es un sistema que destaca por su diseño y calidad. Por este motivo, CORTIZO reserva su comercialización exclusiva a un selecto grupo de instaladores que deben cumplir los siguientes requisitos:

- Pertenecer a la Red de Instaladores Oficiales Cortizo.
- Haber superado con éxito los cursos de formación específica de fabricación y montaje de esta serie.





ATTRACTIVE MINIMALIST DESIGN

ATRATIVO DISEÑO MINIMALISTA



ENERGY EFFICIENCY

*Uw from **0,9** W/m²K*

Its high thermal insulation provides comfort indoors and allows a great heating and cooling saving.

ACOUSTIC ISOLATION

*up to **43** dB*

The high acoustic performance of this system allows us to enjoy the silence ensuring the interior quietness and rest.

EFICIENCIA ENERGÉTICA

*Uw desde **0,9** W/m²K*

Su elevado aislamiento térmico proporciona confort en el interior de las estancias y permite un gran ahorro en calefacción y refrigeración.

AISLAMIENTO ACÚSTICO

*Hasta **43** dB*

Las elevadas prestaciones acústicas de esta serie nos permiten disfrutar del silencio, garantizando la tranquilidad interior y el descanso.

HIGH PERFORMANCE

The new sliding system with thermal break Cor Vision Plus counts with a glazing capacity of up to 54 mm, which allows reaching an optimal thermal and acoustic performance.

MÁXIMAS PRESTACIONES

La nueva corredera Cor Vision Plus cuenta con rotura de puente térmico y una capacidad de acristalamiento de hasta 54 mm, lo que le permite alcanzar prestaciones térmicas y acústicas óptimas.

THE GREATNESS OF MINIMALISM

Minimalist design able to cover large gaps allowing maximum luminosity with the minimum aluminum section.

It allows sash dimensions of up to 4 meters wide or high, allowing combinations of up to 6 sashes and meetings at a 90° corner without a mullion.


It has a visible section of just 25 mm and the possibility to inlay totally the bottom, lateral and top frames.

LA GRANDEZA DEL MINIMALISMO

Diseño minimalista capaz de cubrir grandes huecos que permite la máxima luminosidad con la mínima sección vista de aluminio.

Posibilita dimensiones de hoja de hasta 4 metros de ancho o de alto, permitiendo realizar combinaciones de hasta 6 hojas y encuentros a 90° sin parteluz.

Presenta secciones vistas de nudo central de sólo 25 mm y la posibilidad de embutir totalmente marcos inferiores, superiores y laterales.



**COR
VISION
PLUS**



CERTIFICATE OF TRAINING FOR FABRICATION

CORTIZO awards this certificate to:

POLISHINTERIOR S.C.

To accomplish successfully, the training provided for the fabrication of the new system
COR VISION PLUS

Padrón, 5 september 2018

POLISHINTERIOR UK LIMITED

FIFTEEN ROSEHILL
MONTGOMERY WAY
ROSEHILL ESTATE
CARLISLE
CA1 2RW
+ 44 203 575 1351

www.polishinterior.com